

तुलसीपुर उपमहानगरपालिका नगर कार्यपालिकाको कार्यालय

तुलसीपुर, दाङ लुम्बिनी प्रदेश, नेपाल



क्याटलग सपिङ विधिबाट मोटर साइकल र स्कुटर खरिद गर्ने सम्बन्धि सूचना

प्रथम प्रकृषित मिति :२०७८/०९/०४

यस तुलसीपुर उपमहानगरपालिकाको चालु आ.ब. २०७८/०७९ मा शाखा तथा महाशाखामा अन्तर्गत कार्यरत 🔏 निरन्तर रुपमा फिल्डमा गई कार्य सम्पादन गर्नु पर्ने कर्मचारीहरुको प्रयोजनको लागि सवारी साधन मोटरसाइकल र स्कुटर क्याटलग सपिङ विधिबाट खरिद गर्नु पर्ने भएकाले सार्वजनिक खरिद ऐन, २०६३ (पहिलो संशोधन २०७३) को दफा ८ को उपदफा १(क) ८ सार्वजनिक खरिद ऐन २०६४ (चौथो संशोधन २०७३) को नियम ३१ (ख) बमोजिम त्यस्तो सवारी साधन उत्पादक कम्पनि वा सो को आधिकारीक विकेता विच मात्र प्रतिस्पर्धा गराउने (क्याटलग सपिङ) विधि बाट खरिद गर्न पर्ने भएकाले इच्छुक इजाजत प्राप्त उत्पादक कम्पनी वा त्यसको आधिकारीक विक्रेताहरुले आ-आफ्नो फर्म दर्ता, भ्याट दर्ता, एजेन्सी दर्ता प्रमाण पत्र Letter of authorization र आ.ब.०७७/०७८ को आयकर चक्ता प्रमाणपत्रको प्रमाणीत प्रतिलिपिहरु समावेश गरी सार्वजनिक खरिद ऐन २०६४ (चौथो संशोधन २०७३) को नियम ३१ (ख) अनुसार तपसिल बमोजिमको सवारी साधन(मोटर साइकल र स्कुटर) को उत्पादनको आधिकारीक स्पेशिफिकेशन, मुल्य र सुविधा सहितको गुणस्तर विवरण (क्याटलग वा ब्रोसर) संलग्न राखी तपिसल बमोजिमको सवारी साधन(मोटर साइकल र स्क्टर) उत्पादक वा आधिकारीक विकेताले स्पेशिफिकेशन, मुल्य र विकी पछिको मर्मत लगाएत अन्य सुविधा सहितको गुणस्तर विवरण(क्याटलग वा ब्रोसर) संलग्न राखी यो सूचना प्रथम पटक प्रकाशित भएको मितिले १०औं दिनको कार्यालय समय भित्र वा सो दिन सार्वजनिक विदा पर्न गएमा सोको भोली पल्ट मुल्य अभिवृद्धि कर समावेश सिहतको मुल्य उल्लेख गरी यस तुलसीपुर उपमहानगरपालिका नगर कार्यपालिकाको कार्यालय तुलसीपुर दांडमा दरभाउ पत्र दर्ता गर्नुहुन सम्बन्धित उत्पादक वा सो को आधिकारीक विकेताको जानकारीका लागि यो सूचना प्रकाशित गरीएको छ । सवारी साधन मोटर साइकल र स्कुटरको स्पेशिफिकेशन सम्बन्धि थप तथा अन्य जानकारीका लागि तुलसीपुर उपमहानगरपालिकाको वेवसाईट https://tulsipurmun.gov.np मा समेत हेरी डाउनलोड गरी जानकारी लिन्हन अन्रोध छ।

तपसिल

खरिद गर्ने साधनको विवरण

सि.नं.	सामानको नाम र स्पेशिफिकेशन	इकाई	परिमाण
٩	मोटर साइकल १४० सी.सी.	गोटा	9
2	मोटर साइकल १२५ सी.सी.	गोटा	9
3	स्क्टर १२५ सी.सी.	गोटा	8

(प्रमुख प्रशासिकय अधिकृत) तुलसीपुर उपमहानगरपालिका

प्रमुख प्रशासकीय अधिकृत

Technical Specifications

MOTORCYCLE (125±5%) CC

Nos. 1 Units

	TORCYCLE (125±5%) CC		Nos. 1 Units	
S. No.	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION	
1	General	Motor cycle of sturdy design, suitable	Make:	
		for driving on rough road conditions.	Model:	
			Country of Origin:	
2	Engine	(125±5%) CC, Four Stroke Petrol	Make:	
		engine, developing maximum output	Model:	
		power not less than 6 kW at governed		
		RPM and Maximum torque output not		
		less than 10 N-m, for efficient running		
	0	of motor cycle.	18/8	
3	Emission	The emission standard of the offered		
5	Standard	vehicle must be in compliance with or		
	- Startanta	superior than the applicable Standard		
		as prescribed by Nepal Vehicle Mass		
		Emission Standard which is to be		
		certified by Department of Transport		
		Management.		
4	Gauges	To include speedometer / odometer,		
		Turn signal indicator, neutral indicator,		
		fuel gauge etc. as necessary for efficient		
		operation and maintenance.		
5	Transmission	Minimum Four speed		
6	Brake	Front:Drum/		
		Disc		
		Rear: Drum/Disc		
7	Frame	Sturdy frame and suspension with		
		telescopic shock absorbers.	3	
		Minimum Ground Clearance:155 mm		
8	Electrical	1. Battery: 12V		
	System	2. Starting system: Self and Kick		
9	Essential	1. Head light, rear and turn signal lights		
	Accessories	2. Two rear view mirrors		
		3. Alloy Wheel		
		4. Safety lock for steering		
		5. Seat for co-rider		
		6. Helmet - 1 Nos.		
ч		7. Leg guard		
		8. Helmet Lock		
		To be equipped with all standard		
		accessories of offered model but not		
		THE THE OWNER OF STREET OF THE STREET STREET STREET		

Er. Pramod Regmines

Any

A

Page"

Tulsipur submetropolitan city, Tulsipur Dang

10	Instructions	All signs and instructions in the vehicle shall be in English	
11	Manuals	One copy of the Operator's and Owner's Instructions in English shall be supplied with each vehicle	
12	Tools	A set of tools as required for general maintenance shall be supplied.	
13	Proven performance	The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the engine etc.	
14	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance	
15	Color	Black Color	
16	Delivery	The Motorcycles 1 units shall be delivered to: Tulsipur subemertropolitan city office Dang Nepal	

Estimated Amount: 2,44,900/-(In words: Two lakhs fourty four thousands Nine Hundreds per unit only)

Note: The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offer.

* 37

Prepared by od Regimes Pramed Regimes 100.59

Automobiledingineer

Approved By:

Technical Specifications

MOTORCYCLE 150 ±1 % CCNos.

1 Units

S. No.	CRITERIA	OFFICE REQUIREMENT	OFFERED SPECIFICATION
1	General	Motor cycle of sturdy design, suitable for driving on rough road conditions.	Make:
		Wet weight shall not be less than	Model:
		130 Kg.	Year of Mfg.:
			Country of Origin:
2	Engine	Single cylinder, Four Strokes, Air cooled Petrol engine of 150±1 %CC, developingMaximum power output not less than 12 Ps and Maximum	
		torque not less than 12Nm, for efficient running of motor cycle. Electric and kick starting.	
3	Emission Standard	The Emission Standard of the vehicle should comply with the Vehicle Mass Emission Standard of Nepal.	~
4	Gauges	To include speedometer / odometer, Turn signal indicator, neutral	
		indicator, fuel gauge etc. as necessary for efficient operation and maintenance.	
5	Transmission	Minimum Five speed, Constant mesh	See .
6	Fuel tank capacity	Minimum 10 ltrs.	
7	Brake	Front: Disc & Rear: Drum/Disc	
8	Suspension	Front: Telescopic Rear: Mono/Twin Shock absorber with Nitro.	
9	Frame	Sturdy frame and suspension with telescopic shock absorbers. Minimum Ground Clearance: 160 mm	

LET. Practice Engineer Automobile Regid No. 18

CPTES)

Tulsipur submetropolitan city, Tulsipur dang

10.	Essential	Head light, rear and turn signal	
	Accessories	lights	
		2. Two rear view mirrors	
		3. Safety lock for steering	
		4. Seat for co-rider	
	1	5. Helmet - 1 Nos.	
		6. Leg guard	
		7. Helmet Lock	
11	Instructions	All signs and instructions in the vehicle shall be in English.	
12	Manuals	One copy of the Operator's and	
		Owner's Instructions in English shall	
		be supplied with each vehicle.	
13	Tools	A set of tools as required for general	
10	10010	maintenance shall be supplied with in	
		a lockable tool box for each unit.	
14	Proven	1. The motor cycle offered shall be a	
	performance	current model under standard	
	1	production by the manufacturer for	
		at least one year.	
		2. The bidder shall provide the	
		manufacturer's data of the	*
		performance of the unit to include	
		the fuel consumption, performance	
		curve of the engine etc.	
15	Warranty	Manufacturer shall provide a	
		minimum of one year warranty	
		after acceptance.	
16	Delivery	The Motorcycle 1units shall be	
		delivered to:	2
		Office:Tulsipur	
		upamahanagarpalika	
		tulsipur dang	

Estimated Amounts: 2,76,900/-(In words: Two lakhs seventy six thousands Nine hundreds per unit)

Note: The major items are indicated by bold and highlighted letters/alphabets in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offered.

Prepared By ingineer
EEr: Premised Regini
Automobile Engineer
Regiono!59

A 250

Technical Specifications

Scooter: 125±5 CC

Oty: 4 units

S.No	CRITERIA	DEPARTMENTAL REQUIREMENT	OFFERED
			SPECIFICATION
1	General	Scooter of sturdy design, suitable for driving on rough road.	Make:
			Model:
			Country of Origin:
2	Engine	Four Strokes, Petrol Engine, (125±5) CC, developing Maximum net power	Make:
		not less than 8 PS at governed RPM and Maximum torque output not less than 10 N-m, for efficient running of	Model:
		scooter Starting system with self & kick.	
3	Gauges	To include speedometer/ odometer, turn signal indicator, neutral indicator, fuel gauge etc. as necessary for efficient operation and maintenance.	*
4	Transmission	Automatic/Gear Less	
5	Brake	Rear : Drum Front : Disc/Drum	
6	Frame/ Suspension	Sturdy frame and Suspension: telescopic/Spring loaded hydraulic type/ Gas filled Hydraulic type coil spring/ Hydraulic type	-
7	Ground clearance,	Ground Clearance not less than 155	
	Wheelbase and Kerb weight	Wheelbase: Not less than 1260 mm Kerb weight: Not less than 107 kg.	
8	Essential Accessories	 Head light, rear and turn signal lights Two rear view mirrors Safety lock for steering Helmet 	
9	Instructions	All signs and instructions in the equipment shall be in English.	/

Er. Pamod Regmi Automobile Engineer Automobile Regd. No. 59 L

2 (137)

10	Manuals	One copy of the Operator's and Owner's Instructions and maintenance manual in English shall be supplied with each scooter.	
11	Tools	A set of tools as required for general maintenance shall be supplied with in a lockable tool box for each unit.	
12	Proven performance	The Scooter offered shall be a current model under standard production by the manufacturer for at least one year.	
13	Warranty& Service facilities	Manufacturer shall provide a minimum one (1) year warranty after acceptance.	
14	Emission Standard	The Emission Standard of the vehicle should be capable of meeting applicable Nepal Vehicle Mass Emission Standard which must be certified by Department of Transport Management, Nepal.	*
15	Delivery	The Scooters 4 units shall be delivered to: Tulsipur submetropolitan city office Dang Nepal	

Estimated Amount :2,15,000/-(In words:Two lakhs Fifteen thousands per piece only)

A 255

Note:

F-0.4

The major items are indicated by bold and highlighted letters/ alphabets/ figures in the technical specifications. Non- Compliance of these major items will result in non -responsiveness of the bid offered.

Prepared By: d Regmirer Pramod Regmirer Auto Skit in Call

Automobile Engineer

Appreved By: