#### तुलसीपुर उपमहानगरपालिका नगर कार्यकालिकाको कार्यालय लतुलसीपुर, दाङ्ग सलबन्दी दरमाउपत्र आव्हानको सूचना (प्रथम पटक प्रकाशिक मिति २०७७/९/२७)

यस तुलसीपुर उपमहानगरपालिका कार्यालयको लागि तपिसलमा उल्लेखित कार्यहरु शिलवन्दी दरभाउपत्रको माध्यमवाट खरीद ग पर्ने भएकाले नेपाल सरकारबाट इजाजत प्राप्त इच्छुक फर्म, कम्पनी वा सप्लायर्सहरुबाट निम्न शर्तको अधिनमा रही रितपूर्वकव सिलवन्दी दरभाउपत्र आव्हान गरिएको छ।

#### तपसिल

- १. दरभाउपत्र फाराम खरीदको लागि आ.व. ०७७/०७८ को निवकरण भएको इजाजतपत्र, आयकरदर्ता प्रमाणपत्र, मू.अ.क. दर्ता प्रमाणपत्र, फर्म संस्था कम्पनी दर्ताको प्रमाणपत्र र आ.व. ०७६/०७७ को कर चुक्ताको प्रतिलिपि सिंहत निवेदन दिई यो सूचना प्रथम पटक प्रकाशित भएको मितिले १५ ( पन दिन सम्ममा तपिसलमा उल्लेखित दस्तुर जम्मा गरी (फिर्ता नहुने गरी) खरिद गर्न सिंकनेछ । दरभाउपत्र सम्बन्धी कागजात यस कार्यालयबाट खरीद ग सिंकनेछ ।
- २. यो सूचना प्रथम पटक प्रकाशित भएको मितिले १६ औं दिन, दिनको १२:०० बजे भित्र दाखिला गर्ने दरभाउपत्रको प्रत्येक पानामा सही छाप गरी खाम बन गरी खामको वाहिरी भागमा यस कार्यालयलाई सम्बोधन गरी ठेक्का नं, कामको विवरण, बोलपत्र दाताको नाम, पत्राचार गर्ने आधिकारिक ठेगाना स्पा खुलाई फर्मको छाप लगाई खाममा सिलबन्दी छाप गरी यस कार्यालयमा मात्र दर्ता गराउनु पर्नेछ । यसरी दर्ता हुन आएका दरभाउपत्रहरु सोही दि दिनको १४:०० बजे कार्यालयका प्रतिनिधिहरु र दरभाउपत्रदाताहरु वा निजको प्रतिनिधिहरुको रोहवरमा खोलिने छ । बोलपत्र दाता वा निजको प्रतिनिधि उपस्थित नभएमा पनि बोलपत्र खोल्न बाधा पर्ने छैन ।
- ३. दरभाउपत्र **खरीद र दर्ता गर्ने अन्तिम दिन विदापरे**मा सोको भॉलिपल्ट कार्यालय खुलेको दिन सोही समयमा उपरोक्त अनुसारको कार्य हुनेछ ।
- ४. दरभाउपत्र साथ जमानत वापतको निम्न विवरणमा उल्लेखित रकम मेघा बैंक तुलसीपुर, दाङ स्थित तुलसीपुर उपमहानगरपालिका कार्यालय दाङको धरौ खाता नं. ग-३-०३८००१००७९१७८मा जम्मा गरेको सक्कल भौचर वा बोलपत्र दाखिला गर्ने अन्तिम मितिबाट ७५ दिन म्याद भएको नेपाल सरकारब मान्यता प्राप्त क वर्गको बैंकबाट यस कार्यालयको नाममा जारी भएको सक्कलै बैंक जमानत (बैंक ग्यारेन्टी) पेश गर्नु पर्नेछ ।
- ६. दरभाउपत्र मा मू.अ.क. बाहेकको दररेट उल्लेख गर्नु पर्ने छ दरभाउपत्र भर्दा दररेट स्पष्ट रूपमा अक्षर र अंकमा उल्लेख गर्नु पर्नेछ । अंक र अक्षरमा फर परेमा अक्षरमा लेखिएकोलाई मान्यता दिइनेछ । स्याद नाघी आएको र रित नपुगेको दरभाउपत्र उपर कुनै कार्वाही गरिने छैन ।
- ७. एक फर्मको नाम**मा खरीद गरिएको दरभाउपत्र अ**र्को व्यक्ति वा फर्म**को ना**मबाट दाखिला गर्न पाइने छैन ।
- द्र. दरभाउपत्र दाताहरूले बढीमा तिनवटा फर्महरूको एक संयुक्त उपक्रम बनाई दरभाउपत्र पेश गर्न सक्नेछन् । तर एक दरभाउपत्रदताले संयुक्तउपक्रमण् साभ्नेदार वा व्यक्तिगत मध्ये कुनै एउटा मात्र दरभाउपत्र पेश गर्न सक्नेछ ।
- ९.कार्यालयको हितला**ई ध्यानमा राखी दरभाउपत्र स्वी**कृत गर्ने वा आंशिक रुपमा स्वीकृत गर्ने वा स्वीकृत नगर्ने सम्पुर्ण अधिकार यस कार्यालयमा सुरक्षित रह छ।
- सचनामा उल्लेख नभएको कराहरुका हकमा सार्वजिनक खरिद ऐन, २०६३ एवं नियमावली, २०६४ र प्रचलित कानुन बमोजिम हुनेछन् ।
- ११. थप जानकारीका लागि यस कार्यालयमा सम्पर्क राख्न सिकने छ, साथै यो सुचना तुलसीपुर उपमहानगरपालिकाको वेभसाइ www.tulsipurmun.gov.np बाट समेत डाउनलोड गरी हेर्न सिकन्छ ।
- १२. कामको विवरण निम्नानुसारको छ।

सि.नं.	ठे.नं .	कामको विवरण	संख्या	ल.ई.रकम ( मु.अ.क. सहित)	जमानत रकम.	फाराम खरीद दस्तुर	माध्यम
٦.	TSMC/SQ/04/G/077/078	150CC Motor Bike as per specification	३ वटा	७,९२,०००।००	98,500100	9,0001-	दरभाउप
	TSMC/SQ/05/G/077/078	125 CC Motor Bike as per specification	३ वटा	६,६६,०००।००	१६,६५०।००	9,0001-	दरभाउप
	TSMC/SQ/06/G/077/078	125 CC Scooter as per specification	१ वटा	२,२२,०००।००	४,४५०।००	9,0001-	दरभाउप
					>-9-/		

Land Marie Contraction of the Co

भिन. प्रमुख प्रशासकीय अधिकृत तुलसीपुर उपमहानगरपालिका कार्यालय

नि. प्रमुख प्रशासकीय अधिकृत

## **Technical Specifications of Scooter**

## Quantity=1

S.N	Criteria	Required Specification	Offered Specification
1.	General	Scooter of sturdy design, suitable for driving on rough road.	
2	Engine	4- Stroke petrol engine carburetor fuel system, engine displacement not less than 124cc, maxm power not less than 8Ps and maxm torque not less than 10Nm at governed RPM.	
3.	Starting Mechanisms	Starting system both self and kick is preferred.	
4.	Transmission	Automatic transmission	
5.	Braking system	Both front and rear Mechanical drum type	· · · ·
6.	Gauges	Speedometer, Tachometer, fuel gauge etc for efficient operation	
7.	Fuel tank Capacity	Not less than 5 liters	
8.	Ground Clearance	Not less than 160mm	
9.	Essential Accessories	<ul> <li>Head lights, rear and side lights.</li> <li>Two rear view mirrors.</li> <li>Lock for steering.</li> <li>Helmet</li> </ul>	
10.	Frame and suspensions	Underbone frame and suspension with telescopic/Coil type shock absorbers.	
11.	Tools	A set of tools required for the general maintenance.	
12.	Color	Standard Color	
13.	Instructions	One copy of Operator's and owners instructions and maintenance manual in English shall be supplied together with Scooter.	
14.	Emission Standard	The emission standard of the vehicle should meet "Nepal Vehicle Mass	

1/2

W

ति एमल प

		Emission Standard 2069" which must be certified by department of transport management, Nepal.	
15.	Warranty and service	Shall provide a minimum of 2- year warranty and 5 times free service after delivery.	
16.	Proven Performance	The Scooter offered shall be a current model under standard production by the manufacturer.	
17.	Delivery	The Scooter shall be delivered to Tulsipur Sub-Metropolitan City Office, Tulsipur, Dang.	

Note: The major items are indicated by bold and highlighted letters/alphabets in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offered.

Prepared Bypil Acharya

Prepared Bypil Acharya

Erichanical Engineer

Er. Apyl Antierya......

क्रिनीपुर त्याराहिक के क्रिक्टिन के क्रिक्टिन के क्रिक्टिन क्रिक्ट क्रिक्टिन क्रिक्टिन क्रिक्टिन क्रिक्टिन क्रिक्टिन क्रिक्टिन क्रिक्ट क्रिक क्रिक्ट क्रिक क्रिक क्रिक्ट क्रिक क्

## Technical Specifications of Motorcycle

## Quantity=3

S.N	Criteria	Required Specification	Offered Specification
1.	General	Motorcycle of sturdy design, suitable for driving on rough road.	, N°
2	Engine	4- Stroke petrol engine carburetor fuel system, engine displacement not less than 124cc, maxm power not less than 10 Ps and maxm torque not less than 11 Nm at governed RPM.	
3.	Starting Mechanisms	Starting system both self and kick is preferred.	
4.	Transmission	Mannual transmission and minimum 5 speed gear	
5.	Braking system	Front disc brake type and rear mechanical drum type	
6.	Gauges	Speedometer, Tachometer, fuel gauge etc for efficient operation	
7.	Fuel tank Capacity	Not less than 10 liters	
8.	Ground Clearance	Not less than 160mm	
9.	Essential Accessories	<ul> <li>Head lights, rear and side lights.</li> <li>Two rear view mirrors.</li> <li>Lock for steering.</li> <li>Helmet</li> </ul>	
10.	Frame and suspensions	Sturdy frame and suspension with telescopic shock absorbers.	
11.	Tools	A set of tools required for the general maintenance.	
12.	Color	Standard Color	
13.	Instructions	One copy of Operator's and owners instructions and maintenance manual in English shall be supplied together with motorcycle.	

3

14.	Emission Standard	The emission standard of the vehicle should meet "Nepal Vehicle Mass Emission Standard 2069" which must be certified by department of transport management, Nepal.	
15.	Warranty and service	Shall provide a minimum of 2- year warranty and 5 times free service after delivery.	
16.	Proven Performance	The motorcycles offered shall be a current model under standard production by the manufacturer.	
17.	Delivery	The motorcycles shall be delivered to Tulsipur Sub-Metropolitan City Office, Tulsipur, Dang.	

Note: The major items are indicated by bold and highlighted letters/alphabets in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offered.

Prepared By: Er. Apil Acharya
Mechanical Engineer
Mechanical Engineer
Mechanical Engineer

Er. Apil Achar

# **Technical Specifications of Motorcycle**

## Quantity=3

S.N	Criteria	Required Specification	Offered Specification
1.	General	Motorcycle of sturdy design, suitable for driving on rough road.	
2	Engine	4- Stroke petrol engine carburetor fuel system, engine displacement not less than 149cc, maxm power not less than 14Ps and maxm torque not less than 13 Nm at governed RPM.	
3.	Starting Mechanisms	Starting system both self and kick is preferred.	
4.	Transmission	Mannual transmission and minimum 5 gear	
5.	Braking system	Front disc brake type and rear mechanical drum type	
6.	Gauges	Speedometer, Tachometer, fuel gauge etc for efficient operation	
7.	Fuel tank Capacity	Not less than 13 liters	
8.	Ground Clearance	Not less than 160mm	
9.	Essential Accessories	<ul> <li>Head lights, rear and side lights.</li> <li>Two rear view mirrors.</li> <li>Lock for steering.</li> <li>Helmet</li> </ul>	
10.	Frame and suspensions	Sturdy frame and suspension with telescopic shock absorbers.	
11.	Tools	A set of tools required for the general maintenance.	
12.	Color	Standard Color	
13.	Instructions	One copy of Operator's and owners instructions and maintenance manual in English shall be supplied together with motorcycle.	
14.	Emission	The emission standard of the vehicle	OF WALL



	Standard	should meet "Nepal Vehicle Mass Emission Standard 2069" which must be certified by department of transport management, Nepal.	
15.	Warranty and service	Shall provide a minimum of 1- year warranty and 5 times free service after delivery.	
16.	Proven Performance	The motorcycle offered shall be a current model under standard production by the manufacturer.	
17.	Delivery	The motorcycles shall be delivered to Tulsipur Sub-Metropolitan City Office, Tulsipur, Dang.	

Note: The major items are indicated by bold and highlighted letters/alphabets in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offered.

····· \$7/....

Prepared By:

Er. Api Archamical English Mechanical No. 455

क प्रमुख प्रशा