Technical specification of Ultrasound machine with single probe

\$006

Purchaser: Tulsipur Sub Metropolitan city, Tulsipur , dang

Medical equipment: Ultrasound machine with single probe

Quantity: 1 units

S.N .	Office requirement	Compliance on each parameterwith detailed substantiation how the offered product meet the requirement	
1.	Ultrasound machine with single probe	 It shall operate onmains AC supply Full digital Beam forming technology Powerful measurement & circulation software packages 8- segments of TGC adjustment 12.1 inch LCD monitor Net weight up to 7.0kg Wide application: Abdomen,OB/GYN , Urology, Cardiology, etc. OB report page can be generated and printed Permanent function of image store 	
2.	System configuration	System shall come with main unit, 1 probe, 1 unit of black and white vedio thermal printer and ultrasound gel warmer, 1 unit	
3.	Scanning	1. Convex, Linear,Trans - Vaginal	
4	Display	1. B, B+B, B+M,M,4B	
5	Scanning depth	240 mm	
6	Cine loop	256	
7	Body marks	44	
8	Image conversion	Up/down, Left/right,black/white,	
9	Image	Freeze/ Unfreeze Gama correction, edge enhancement of image post processing	3

2/01

		2. 2 probe connectors Angle change Frame correlation	
10	User Training	Must provide user training (including how to use and maintain the equipment)	
11	Warranty	Comprehensive warrantfor 2 years after acceptance	
12 .	Installation and Commissioni ng	The beader must arrange for the equipment to be installed by certified or qualified personnel: any perquisites for installation to be communicated to the purchaser in advanced, in detail	
13	Documentati on	User operating manual in English Service (Technical/ Maintenance) manual in English Certificate of calibration and inspection from factory	